


09/926087

FIG.1



1000000" 29092560

FIG.2

LIST OF COMMUNICATION APPLICATIONS AND COMMUNICATION QUALITY:

COMMUNICATION QUALITY REQUIRED BY COMMUNICATION APPLICATIONS		REQUIRED COMMUNICATION SPEED (bps) TO BE EQUAL TO OR HIGHER THAN	REQUIRED TRANSMISSION DELAY (seconds) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET ERROR RATE (%) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET LENGTH (bytes) TO BE EQUAL TO OR MORE THAN
COMMUNICATION APPLICATIONS	COMMUNICATION APPLICATION 1	COMMUNICATION SPEED 1	TRANSMISSION DELAY 1	PACKET ERROR RATE 1	PACKET LENGTH 1
	COMMUNICATION APPLICATION 2	COMMUNICATION SPEED 2	TRANSMISSION DELAY 2	PACKET ERROR RATE 2	PACKET LENGTH 2
	COMMUNICATION APPLICATION 3	COMMUNICATION SPEED 3	TRANSMISSION DELAY 3	PACKET ERROR RATE 3	PACKET LENGTH 3

	COMMUNICATION APPLICATION M	COMMUNICATION SPEED M	TRANSMISSION DELAY M	PACKET ERROR RATE M	PACKET LENGTH M

TABLE 200926087

FIG.3

LIST OF RADIO COMMUNICATION METHODS AND COMMUNICATION QUALITY:

		COMMUNICATION QUALITY AVAILABLE FROM COMMUNICATION METHODS			
		REQUIRED COMMUNICATION SPEED (bps) TO BE EQUAL TO OR HIGHER THAN	REQUIRED TRANSMISSION DELAY (seconds) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET ERROR RATE (%) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET LENGTH (bytes) TO BE EQUAL TO OR MORE THAN
KINDS OF COMMUNICATION METHOD SOFTWARE	RADIO COMMUNICATION METHOD 1	COMMUNICATION SPEED 1	TRANSMISSION DELAY 1	PACKET ERROR RATE 1	PACKET LENGTH 1
	RADIO COMMUNICATION METHOD 2	COMMUNICATION SPEED 2	TRANSMISSION DELAY 2	PACKET ERROR RATE 2	PACKET LENGTH 2
	RADIO COMMUNICATION METHOD 3	COMMUNICATION SPEED 3	TRANSMISSION DELAY 3	PACKET ERROR RATE 3	PACKET LENGTH 3

	RADIO COMMUNICATION METHOD N	COMMUNICATION SPEED N	TRANSMISSION DELAY N	PACKET ERROR RATE N	PACKET LENGTH N

FIG.4





FIG.5



09/926087 0025004